

1. INTRODUCTION

This Policy sets out how Tecto Ltd t/a Tecto Protection (UK) intends to meet its First Aid at Work provisions.

2. DEFINITIONS

Emergency First Aider – Becki West & Aidan Phillips

First Aider – An employee who has been trained to competently administer first aid at work and holds a current 'First Aid at Work' certificate and appointed by the company.

3. REFERENCES

The Health and Safety at Work etc Act 1974

Management of Health & Safety at Work Regulations 1999 (MHSAW)

The Health and Safety (First Aid) Regulations 1981

4. RESPONSIBILITIES OF FIRST AIDER

- To preserve life until medical help arrives
- To limit the effects of the injury or illness
- To evacuate the casualty safely
- To promote recovery
- To get the casualty medical help if required
- Make appropriate entries in accident book

5. PROVISION OF FIRST AID

6.1 Site risk assessment process

A 1 : 9 ratio of first aiders to employees is considered sufficient, but to ensure continuity and cover for periods of annual leave etc, a second First Aider will be provided

6.2 Communication

All arrangements for First Aid must be brought to the attention of all employees. For visitors and the delegates, trainers will ensure all understand the local arrangements. In the event of an incident requiring First Aid, Becki or Aidan must be informed immediately.

6.3 First Aid boxes

Two first aid kits are provided at Tecto Ltd site, one in the kitchen up stairs and one with Becki West at her desk with the accident book.

An eye wash station is also placed in the workshop next to the fire exit

6.4 First Aid Training

All First Aiders must attend a HSE approved training course and hold a current certificate for First Aid at Work from the training organisation. The training organisation should be made aware of any special hazards on site so that relevant First Aid training is received.

Initial training is normally of 4 days duration with a practical and written test at the end of the taught course. The First Aid at Work certificate is valid for 3 years with a 2-day re-qualification period required before the 3-year expires. It should be noted that if the certificate expiry date is over one month, then a full 4-day course is required to receive a valid certificate. Appendix 7 sets out the typical First Aid course content.

New guidance from the HSE suggests that First Aiders and Emergency First Aiders should undertake annual refresher training over half a day during any 3 year period to keep skills up to date.

First Aid training records and lists of First Aiders are displayed on posters and for audit and inspection purposes at Appendix 7 here-in..

6.5 First Aid Treatments

All First Aid staff should only give treatments for which they have been trained. The procedures for giving First Aid are set out in the First Aid Manual of St John Ambulance, St Andrew's Ambulance Association and the British Red Cross Handbook (ISBN 10 0751337048) or a manual as provided by HSE recognised trainer.

Basic life support and emergency procedures are included in Appendix 6.

6.6 Protection for First Aiders

All First Aid staff who regularly treat cuts and come into contact with blood should ensure that they follow safe handling procedures to protect themselves against blood borne viruses such as Hepatitis B and HIV. In case of contamination or body fluid spills follow the procedures outlined in Appendix 4.

6.7 Eyewash bottles and Equipment

First Aid eye wash station has been placed in the workshop to the righthand side of the emergency fire exit.

7. MONITORING THE POLICY

Health and Safety will audit 5% of all entries in the Accident book that require treatment.

8. RECORDS

All accidents at work must be recorded in the Accident Book. The First Aider will make records of all treatment given at the time of the incident

9. REPORTING

First Aid staff will report to Health and Safety regarding First Aid matters but to the line manager for all other duties.

10. REVIEW OF THE POLICY/PROCEDURE

This procedure will be reviewed 2 yearly or if changing legislation indicates and communicated to all Health and Safety personnel.

Appendix # 1 **FA (FA) RISK ASSESSMENT FOR Tecto Protection (UK) SITE**

Risk assessment conducted by....Aidan Phillips

Date.....28/04/2021..... Areas covered: Tenter Road site incl. Training Centre, Admin & Sales Offices & Workshops.

Aspects to consider	Impact on FA provision	Currently in place	Areas needing addressing
1. Person appointed to take total charge of FA arrangements. Local arrangements will apply on sites	This person will need to hold the records of training, arrange supplies of equipment on request etc	Yes	
2. Suitably stocked & numbers of FA boxes (see appendix 1)	Bear in mind the type of injuries to be treated, review previous injury history to ensure relevant issues considered	Yes	
3. Are there suitable and sufficient first-aiders / emergency first aiders to cover the area? (see appendix 2)	Take into account holiday, cover for sickness and all shift times.	Yes	
4. Information to employees on first-aid arrangements	<ul style="list-style-type: none"> • How to access • Who local first-aiders are • What to do in an emergency 	Yes	
5. What are the risks of injury and ill health arising from the work as identified in risk assessment?	If the risks are significant more FA's may be needed	Yes	
6. Are there any specific risks, e.g. <ul style="list-style-type: none"> • Hazardous substances • Dangerous tools • Dangerous machinery • Confined spaces or heights 	Consider: <ul style="list-style-type: none"> • Specific training for FA's • Extra FA equipment • Precise siting of FA equipment • Informing emergency services • FA room 	Yes	
7. Are locations where different levels of risk can be identified?	May need to make different levels of provision in high risk areas	No	
8. What type of accidents and ill health have you had in the past? What type and where?	May need to: <ul style="list-style-type: none"> • Locate provision in certain areas • Review contents of FA boxes 	NA	
9. Are the premises spread out or multi-floor buildings	Consider provision in each building or on several floors	NA	

Aspects to consider	Impact on first-aid provision	Currently in place	Areas needing addressing
10. Is there shift work or out of hours working?	Remember FA provision required at all times people are at work	NA	
11. How far away is the local hospital?	Do you need to: <ul style="list-style-type: none"> Inform local medical services of hazardous work/substances Consider special arrangements in event of mishap 	NA	
12. Do employees have to travel on business or work alone?	<ul style="list-style-type: none"> Issue personal FA kits and training staff on use Issue instructions on what to do in an emergency 	Each	
13. Do any of your employees work at sites occupied by other employers?	Make arrangements with the site occupiers	Yes	Ensure site visits are covered for first aid provision
14. Do you have any work experience trainees?	Remember FA provision must cover them		
15. Do members of the public visit your premises?	The HSE recommends that the public and visitors are to be covered by FA provision	Yes	Delegates will be covered by our provision
16. Do you have employees with reading or language difficulties?	Make special arrangements to communicate first-aid information especially where English is not the first language.	NA	
Other areas considered addressing? (State)			
How many First Aiders and Emergency first aiders are required for this site? (State)		2	

For further information refer to the First Aid at Work Regulations

Aspects to consider	Impact on first-aid provision	Currently in place	Areas needing addressing
10. Is there shift work or out of hours working?	Remember FA provision required at all times people are at work	NA	
11. How far away is the local hospital?	Do you need to: <ul style="list-style-type: none"> Inform local medical services of hazardous work/substances Consider special arrangements in event of mishap 	NA	
12. Do employees have to travel on business or work alone?	<ul style="list-style-type: none"> Issue personal FA kits and training staff on use Issue instructions on what to do in an emergency 	Each	
13. Do any of your employees work at sites occupied by other employers?	Make arrangements with the site occupiers	Yes	Ensure site visits are covered for first aid provision
14. Do you have any work experience trainees?	Remember FA provision must cover them		
15. Do members of the public visit your premises?	The HSE recommends that the public and visitors are to be covered by FA provision	Yes	Delegates will be covered by our provision
16. Do you have employees with reading or language difficulties?	Make special arrangements to communicate first-aid information especially where English is not the first language.	NA	
Other areas considered addressing? (State)			
How many First Aiders and Emergency first aiders are required for this site? (State)		2	

For further information refer to the First Aid at Work Regulations

Appendix # 2

BASIC FIRST AID BOX CONTENTS

CONTENTS REQUIRED FOR 10-20 PERSON BOX	CONTENTS FOR INDIVIDUALS / CAR DRIVERS
<ul style="list-style-type: none"> • A leaflet giving general guidance on FA • 20 individually wrapped sterile adhesive plasters (assorted sizes) • 2 sterile eye pads • 6 triangular bandages (individually wrapped) • 6 safety pins • 10 individually wrapped wipes • 6 medium size individually wrapped wound dressings (12 cm x 12cm) • 3 large size individually wrapped wound dressings (18cm x 18cm) • 2 pairs of disposable gloves • Indicate if there are additional items required as standard 	<ul style="list-style-type: none"> • A leaflet giving general guidance on FA • 6 individually wrapped sterile adhesive plasters / dressings • 1 sterile eye pad • 2 triangular bandages (individually wrapped) • 6 safety pins • 6 individually wrapped wipes • 1 medium size individually wrapped wound dressings • 1 large size individually wrapped wound dressings • 1 pair of disposable gloves • Indicate if there are additional items required as standard

In food production units, waterproof blue detectable plasters are advisable. These must be metal detectable if required by customers.

In addition to the items above:

1. Soap and water and disposable drying materials should also be available.
2. Where tap water is not available for eye irrigation, disposable, sterile eye irrigators must be used. At least 1 litre must be readily available.
3. Aprons if required, or any other suitable protective equipment, should be provided in or near the First Aid Box.

WEEKLY CHECK OF FIRST AID BOX

Location of box	Signature Serviced w/c	Signature Serviced w/c	Signature Serviced w/c	Signature Serviced w/c
Tecto Office	Brand New 28/04/2021 AJPhillips			
Tecto Kitchen	Checked 27/04/2021 AJPhillips			

Appendix # 4**First Aid Precautions**

Contamination can occur when body fluids gain entry through the skin or mucous membranes such as the eyes or mouth. It is always safest to assume that all body fluids carry some infection and take adequate precautions to prevent contamination.

Types of Infection

There are mainly three types of common infections (although there are others):

- Hepatitis B virus (HBV)
- Hepatitis C virus (HCV)
- Human Immunodeficiency Disease (HIV)

Prevention of incidents

- Waterproof dressings should be used to dress cuts and grazes as these may be potential routes of infection
- When dealing with any blood or bodily fluids protective clothing should always be worn
- Wash your hands after dealing with any incident involving blood or body fluids
- Ensure all contaminated/protective equipment is disposed of in clinical waste bins

Protective clothing

Gloves	Whilst still penetrable, gloves reduce the risk of transmission of infection. Wearing an outer and an inner glove reduces this risk even further.
Apron	Will protect the individual from splashes and spills from cleaning and dripping wounds.

Management of blood and body fluid exposure**Incidents First aid treatment**

- If the mouth or eyes are involved, they should be washed thoroughly with water.
- If skin is punctured, free bleeding should be gently encouraged and the wound should be washed with soap and water but not scrubbed or sucked

All exposure incidents should be reported promptly to Occupational Health. This is important for three reasons.

- To ensure appropriate management to reduce the risk of blood-borne virus transmission
- To document the incident and the circumstances of it.

The management of an incident will be as determined by the local Occupational Health Adviser but referral to A&E may be indicated.

Exposures to hepatitis B or C or HIV are reportable to the Health and Safety Executive, under the Reporting of Injuries Diseases and Dangerous Occurrences Regulations 1995 (RIDDOR) as a dangerous occurrence

Appendix # 5**TRAINING SCHEDULE****First Aid at Work (FAW) - Course Information**

Students will receive training in the First Aid at Work (FAW) competencies:

- Aims and Rules of First Aid at Work (FAW)
- Basic Life Support
- Treatment of the unconscious casualty
- Treatment of a casualty who is wounded, bleeding or shocked
- Treatment of fractures, dislocations and soft tissue injuries
- Treatment of burns, poisoning and eye injuries
- Treatment of common major and minor illnesses
- Prevention of cross-infection during First Aid at Work (FAW) procedures
- Emergency transport of casualties
- Legal aspects of First Aid at Work (FAW)

First Aid at Work (FAW) Course Certificate

After successful completion of the taught course and a final practical assessment, the student will be awarded the HSE recognised, First Aid at Work (FAW) Certificate which is valid for 3 years.

First Aid at Work (FAW) Course (4 Days)**First Aid at Work Refresher Course (2 Days)**

For those who hold a FAW Certificate that is about to expire. Your FAW Certificate is valid for 3 years and you must re-qualify within one month of certificate expiry if you want to avoid having to do the full 4-day course again.

Appendix # 6

What to do in an Emergency

Priorities

Your priorities are to:

- Assess the situation – do not put yourself in danger;
- Make the area safe;
- Assess all casualties and attend first to any **unconscious** casualties;
- Send for help – do not delay.

Check for a danger – for you, the casualty and bystanders


Check for a response – Using AVPU:

Gently shake the casualty's shoulders and ask loudly, 'Are you all right?' Note if they are Alert Voice Responsive

Pain Responsive (ie signs of life)

Unresponsive, then:

- Shout for help
- Check for catastrophic bleeds;
- Open the airway;
- Check for normal breathing;
- Take appropriate action





executive



A Airway

To open the airway:

- place your hand on the casualty's forehead and gently tilt the head back;
- lift the chin with two fingertips.

B Breathing

Look, listen and feel for normal breathing for no more than 10 seconds:

- look for chest movement;
- listen at the casualty's mouth for breath sounds;
- feel for air on your cheek.

If the casualty is breathing normally:

- place in the recovery position;
- get help;
- check for continued breathing.



If the casualty is not breathing normally:

- get help;
- start chest compressions (see CPR).

C CPR

To start chest compressions:



- lean over the casualty and with your arms straight, press down on the centre of the breastbone 4-5 cm, then release the pressure;
- repeat at a rate of about 100 times a minute;
- after 30 compressions open the airway again;
- pinch the casualty's nose closed and allow the mouth to open;
- take a normal breath and place your mouth around the casualty's mouth, making a good seal;
- blow steadily into the mouth while watching for the chest rising;
- remove your mouth from the casualty and watch for the chest falling;
- give a second breath and then start 30 compressions again without delay;
- continue with chest compressions and rescue breaths in a ratio of 30:2 until qualified help takes over or the casualty starts breathing normally.



Severe bleeding

If there is severe bleeding:

- apply direct pressure to the wound;
- raise and support the injured part (unless broken);
- apply a dressing and bandage firmly in place.

Broken bones and spinal injuries

If a broken bone or spinal injury is suspected, **obtain expert help**. Do not move casualties unless they are in immediate danger.

Burns

Burns can be serious so if in doubt, seek medical help. Cool the affected part of the body with cold water until pain is relieved. Thorough cooling may take 10 minutes or more, but this must not delay taking the casualty to hospital.

Certain chemicals may seriously irritate or damage the skin. Avoid contaminating yourself with the chemical. Treat in the same way as for other burns but flood the affected area with water for 20 minutes. Continue treatment even on the way to hospital, if necessary. Remove any contaminated clothing which is not stuck to the skin.

Eye injuries

All eye injuries are potentially serious. If there is something in the eye, wash out the eye with clean water or sterile fluid from a sealed container, to remove loose material. **Do not attempt to remove anything that is embedded in the eye.**

If chemicals are involved, flush the eye with water or sterile fluid for at least 10 minutes, while gently holding the eyelids open. Ask the casualty to hold a pad over the injured eye and send them to hospital.

Record keeping

It is good practice to use a book for recording any incidents involving injuries or illness which you have attended. Include the following information in your entry:

- the date, time and place of the incident;
- the name and job of the injured or ill person;
- details of the injury/illness and any first aid given;
- what happened to the casualty immediately afterwards (eg went back to work, went home, went to hospital);
- the name and signature of the person dealing with the incident.

This information can help identify accident trends and possible areas for improvement in the control of health and safety risks.

Appendix # 7

**LIST OF FIRST AIDERS &
CERTIFICATE EXPIRY DATES**

NAME	DEPT	CERT EXPIRY DATE	CONTACT
Becki West	Admin	Sept 2024	Becki.west@tecto.co.uk
Aidan Phillips	H&S Compliance	Jan 2024	07825045117

Document History

Date	Name	Change	Details	Signed
2/9/22	AJPhillips	Cert dates for aiders		AJPhillips